

PASSENGER'S SIDE COMPARTMENTS CONTAIN THE FOLLOWING:

COMPARTMENT P1 CONTAINS:




- (1) VERTICAL COMPARTMENT DIVIDER
- (1) HORIZONTAL FLOOR EXTENSION
- (2) 80" W-WAY ADJ. SLIDE OUT TOOLBOARDS
- (1) OIL DRY HOPPER WITH AIR ACTIVATED DUST GATE
- (1) 24" DP ADJ. SHELF

COMPARTMENT P2 CONTAINS:

- (1) HORIZONTAL FLOOR EXTENSION
- (1) 80" W-WAY FLOOR WID. SLIDE OUT TRAY
- (1) 20A, 120V DUPLEX RECEPTACLE

COMPARTMENT P4 CONTAINS:


- (1) HORIZONTAL FLOOR EXTENSION
- (1) MOUNTING PROVISIONS FOR 2 CUSTOMER INSTALLED HYDRAULIC REELS
- (1) FLOOR MOUNTED TRAY
- (2) 30A, 240V T.L. RECEPTACLES IN CENTER WITH SWITCHES
- (1) ELECTRIC CORD REEL WITH 200' OF 10/4 YELLOW CORD
- (1) 80" W-WAY FLOOR WID. SLIDE OUT TRAY
- (1) 12V WIRE DROP HIGH FORWARD BULKHEAD



REAR COMPARTMENT CONTAINS THE FOLLOWING:

COMPARTMENT R1 CONTAINS:

- (1) HORIZONTAL FLOOR EXTENSION
- (1) 5" PITCH REARWARD ON UPPER FLOOR



DRIVER'S SIDE COMPARTMENTS CONTAIN THE FOLLOWING:

COMPARTMENT D1 CONTAINS:


- (1) VERTICAL COMPARTMENT DIVIDER
- (1) HORIZONTAL FLOOR EXTENSION
- (2) 80" W-WAY ADJ. SLIDE OUT TOOLBOARDS
- (1) DASH FOR 8 SEGA BOTTLES
- (1) 24" DP ADJ. SHELF

COMPARTMENT D2 CONTAINS:

- (1) HORIZONTAL FLOOR EXTENSION
- (1) FLOOR MOUNTED TRAY
- (1) 60" W-WAY FLOOR WID. SLIDE OUT TRAY

COMPARTMENT D4 CONTAINS:

- (1) SUB FEED BOX
- (1) HORIZONTAL FLOOR EXTENSION
- (1) CIRCUIT BREAKER PANEL
- (1) NIGHT SCAN CONTROLLER
- (1) GENERATOR METER PANEL
- MOUNTING PROVISIONS FOR CUSTOMER INSTALLED HYDRAULIC REELS
- FLOOR MOUNTED TRAY
- (2) 30A, 240V T.L. RECEPTACLES IN CENTER WITH SWITCHES
- (1) ELECTRIC CORD REEL WITH 200' OF 10/4 YELLOW CORD
- (1) 80" W-WAY FLOOR WID. SLIDE OUT TRAY
- (1) 15A, 240V T.L. RECEPTACLE NEXT TO CIRCUIT BREAKER PANEL



NOTE:

DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION.

MINOR DETAILS NOT SHOWN.

- NOTES:**
1. OMAN 300W SINGLE PHASE P10 DRIVEN GENERATOR LOCATED BETWEEN THE FRAME RAILS
 2. DRIPPO AUTOMATIC TIRE VALVE
 3. AIR INLET WITH DISCONNECT COUPLING LOCATED IN DRIVER SIDE LOWER STEP WELL OF CAB
 4. AIR INLET WITH DISCONNECT COUPLING LOCATED IN DRIVER SIDE LOWER STEP WELL OF CAB
 5. POLYURETHANE INSULATION ON ENGINE TUNNEL
 6. POLYURETHANE INSULATION ON CAB DOOR
 7. ALUMINUM MOUNTING BRACKET ON ENGINE TUNNEL
 8. FLOOR IN CAB AND CHOW CAB TO BE PADDED RUBBER
 9. TIRESPIN 35000 DUAL WHEEL TIRESPIN SYSTEM
 10. KUSUMAI 20-0A CHARGER LOCATED IN SEAT BOX
 11. 20" HIGH 5/8" BODY CORNERS ON REAR
 12. 22 1/2" HIGH 5/8" BODY CORNERS OVER ROLL UP DOORS IN THE BODY
 13. 14" SHOWER CURTAINS OVER ROLL UP DOORS IN THE BODY
 14. PIERCE DUAL LED LIGHT STRIPS IN EACH BODY COMPARTMENT AND HATCH BOX
 15. 20A, 120V DUPLEX RECEPTACLE IN EACH FLOOR
 16. 20A, 120V DUPLEX RECEPTACLE IN EACH FLOOR
 17. 20A, 120V DUPLEX RECEPTACLES LOCATED BEHIND DRIVER'S AND OFFICER'S SEATS

(SIDE ROLL & FRONTAL IMPACT PROTECTION)

CUSTOMER APPROVAL

APPROVED BY: _____

DATE: _____

		JOB NO.	26902
MANUFACTURING INC.		SCALE	1:24
HEAVY DUTY RESCUE NON-WALKING LOWER ALLEN TOWNSHIP FIRE DEPARTMENT LOWER ALLEN, PA		DATE	22MAY13
FOR		DRWN BY	AZU
DWG NO. 26902AD		CHECKED BY	AZU
VX7020		SHEET SIZE	1 of 1