



ALUMINUM BODY

MAXIMUM O.A.L. 396.00"

MAXIMUM O.A.H. 121.50"

SIDE ROLL PROTECTION

NOTE

DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

1. POLISHED 5/32" SCUFFPLATE ON EACH CAB DOOR JAMB
2. MOUNTING BRACES FOR ANTENNAS LOCATED PER SWAP ORDER
3. BATTERY CHARGER INDICATOR LOCATED IN DRIVER SIDE STEP WELDED BEHIND DRIVERS SEAT
4. GUSSETED COMP PUMP 1200 BATTERY CHARGER/AIR COMPRESSOR LOCATED BEHIND DRIVERS SEAT
5. PULL STRAP ON EACH DOOR OVER CROSSLAY AREA
6. ONE ALUMINUM SLIDE-OUT TOOL BOARD IN COMPARTMENT P1 & P3
7. ONE 0-180° SWING-OUT ALUMINUM TOOLBOARD IN COMPARTMENT D2
8. ONE ALUMINUM SLIDE-OUT TOOL BOARD IN COMPARTMENT P3
9. TURTLE TILE MATTING WITH RAMP ON FLOORS OF COMPARTMENTS D3, P2 & P1
10. TURTLE TILE MATTING ON ALL SHELVES AND TRAYS

11. ONE VERTICAL PEGBOARD PARTITION IN COMPARTMENT P3
12. ONE ADJUSTABLE SHELF IN COMPARTMENT P1, TWO IN D2 & D3
13. L.E.D. PERIMETER SCENE LIGHTS LOCATED PER SWAP ORDER
14. CIRCUIT BREAKER PANEL IN DRIVER SIDE FRONT BRASS COMPARTMENT
15. HAZARD 12 SINGLE AGENT FOAM SYSTEM
16. HAZARD 12 SINGLE AGENT FOAM SYSTEM
17. PIERCE LOGO HOOKUPS FRONT AND REAR
18. ON SCENE L.E.D. NIGHT STICK LIGHTS (BELOW HOSEBED COVER)
19. ONE SLIDE-OUT FLOOR TRAY WITH 2.00" SIDES IN COMPARTMENTS D1 & P3
20. TWO-DRAWER STEEL ASSEMBLY ON FLOOR OF COMPARTMENT P1

21. BOLT-IN PARTITION IN COMPARTMENTS D1-R1 & P1-R1
22. LITTLE STANT LADDER MODEL 17-0100 LOCATED IN COMPARTMENT P2 ON SHELF
23. ANDOR L.E.D. DUAL LIGHT STRIPS IN EACH REAR BODY COMPARTMENT
24. ANDOR LAM L.E.D. LIGHT STRIPS IN HATCH COMPARTMENTS
25. ONE HANWAY ELECTRIC REWIND CORD REEL MODEL 1618-17-18 LOCATED IN HATCH ABOVE D3 WITH 200' OF 10/3 CABLE, WELON JUNCTION BOX AND WHEELER
26. ONE 15A 120V 4-PLACE DUPLEX RECEPTACLE LOCATED IN CAB BEHIND OFFICER SEAT
27. ONE 20A 120V DUPLEX RECEPTACLE LOCATED IN CAB IN COMP. D2 & P3
28. TWO HANWAY ELECTRIC REWIND HYDRAULIC HOSE REELS MODEL 2016-17-18 WITH CAPACITY FOR 100' OF .25" I.D. DUAL HYDRAULIC HOSE LOCATED IN HATCH ABOVE P3

CUSTOMER APPROVAL

APPROVED BY: _____

DATE: _____

30	JUN10	NPA	SHA	CHASSIS DATA	TITLE
30	JUN10	NPA	SHA	WHEEL	1500-D-960P W/40 GAL FOAM CELL, 189" PUC BODY
30	JUN10	NPA	SHA	PIERCE	(2) X-LAYS, LADDERS THRU BODY, DELUGE, GENERATOR
30	JUN10	NPA	SHA	MODEL	FOR CECIL TOWNSHIP VOLUNTEER FIRE COMPANY #3
30	JUN10	NPA	SHA	REV	CECIL, PENNSYLVANIA
30	JUN10	NPA	SHA	NO.	DWG 23359AD
30	JUN10	NPA	SHA	REV	DATE BY CH VEL7010



JOB NO. 23359

SCALE 1:24

DATE _____

DRAWN BY NPA

CHECKED BY SHA

DATE 23MAR10

SHEET SIZE D SHEET NO. 1 of 1