



ALUMINUM BODY

MAXIMUM O.A.H. 119.00"

NOTE
 DIMENSIONS SHOWN ARE APPROXIMATE AND ARE SUBJECT TO MINOR DEVIATIONS AS MAY OCCUR OR BE NECESSARY IN CONSTRUCTION. MINOR DETAILS NOT SHOWN.

- ONSPOT AUTOMATIC TIRE CHAINS TO BE PROVIDED AT REAR
- BATTERY CHARGER LOCATED IN COMPARTMENT D3
- BATTERY CHARGE INDICATOR LOCATED ON DRIVER'S SEAT RISER
- DUAL L.E.D. LIGHT STRIPS LOCATED IN HOSE BED
- CIRCUIT BREAKER PANEL IN COMPARTMENT D3
- ONE HANWAY ELECTRIC REWIND CORD REEL MODEL 1618-17-18 WITH 200' OF 10/3 CABLE LOCATED IN P5 & D5 HATCH COMPARTMENTS
- AIR INLET WITH DISCONNECT COUPLING LOCATED D5 PUMP PANEL

REV	DATE	BY	CH	ENFORCER
08DEC17	MMF	DTS	MAKE	
03NOV17	MMF	DTS	PIERCE	
16OCT17	MMF	CCA	MODEL	

		JOB NO.	31677
		SCALE	DATE
TITLE	1500-D-500 GAL POLY, 189" PUC RESCUE BODY SIDE CONTROL, LADDERS IN HOSEBED, GENERATOR, REELS		
FOR	KEYSTONE VALLEY FIRE DEPARTMENT PARKESBURG, PENNSYLVANIA		
DWG NO.	31677AD		
DRAWN BY	MMF	CHECKED BY	CSH
SHEET SIZE	D	SHEET NO.	1 OF 1