

WE'RE HIRING!
Visit GlickFire.com/careers
for details

GLICK at a GLANCE

Winter 2021
VOL. 28/ISSUE 4



INSIDE:

GREASE GRITS: Certifiably Safe • New Sales • Recent Deliveries • Employee News

Letter from the President

*There are far better things ahead
than any we leave behind.*

~C. S. Lewis

It's been another challenging year for our communities. While some restrictions have been eased, the **GLICK Fire Equipment** team is still working hard to safely serve the emergency services in Pennsylvania.

In the midst of the many challenges, the one that has had the biggest effect lately is supply chain. The reality of supply chain disruptions affect us daily, and with that comes tremendous cost increases. Vendors are rarely holding prices for more than 30 days and we receive price increase letters weekly. In addition, parts that we would typically expect to ship in a few days are now out 10 weeks or more. Our parts staff has been working hard to find other supply sources when faced with these delays.

I prefer to focus on the positives of the past year and highlight some achievements of the team. You will see in this newsletter a special **CONGRATULATIONS** to four of our employees who are celebrating 20 years at **GLICK** (see inside). We have again added numerous new employees to the **GLICK** family this year.

Due to this continued company growth, we are currently expanding our Bird in Hand main office location. For those of you who have visited our Mill Creek Road office recently you have witnessed the challenges of working in a facility



during a construction project. I want to thank everyone for your patience as we work around construction equipment and limited parking. We are also in the midst of moving our body shop in Smoketown to a much larger location just a few miles down the road. More details to follow in the next newsletter as both projects near completion.

With this company growth, we have several open positions within **GLICK Fire Equipment**.

Please check out the Careers section of our website at www.glickfire.com/careers for the latest posted positions and be sure to apply for any that interest you.

If there is anything we can do to improve our service to you, I encourage you to reach out to us. We look forward to our 35th year in business in 2022, and continually strive to deliver the service you have come to expect from us.

Thank you for your business this past year and the confidence you place in **GLICK Fire Equipment**! We applaud all of you who have worked tirelessly during these abnormally challenging times to keep your companies running and keep your communities safe.

Doug Glick
President



GET SOCIAL WITH US!



/GlickFireEquipment



/glickfire



@glickfire



/glickfire

DID YOU KNOW ...

The GLICK Fabrication and Body Shop Departments can handle most customization and accident repair on all makes and models of emergency apparatus!

NEW SALES

COMPANY	COUNTY	APPARATUS TYPE	ACCOUNT MGR.
ALBRIGHTSVILLE VOL FIRE COMPANY	Carbon	Pierce Enforcer Sky Boom	Bud Strauss
ALEPPO TOWNSHIP VOLUNTEER FIRE COMPANY	Allegheny	Pierce Enforcer Pumper	Jim Sims
ALLEN TOWNSHIP FIRE COMPANY	Northampton	Pierce Enforcer 65' Snozzle	Bud Strauss
BLANDON FIRE COMPANY NO. 1	Berks	Pierce Enforcer 107' Aerial	Jake Bachman
CAMBRIA ALLIANCE EMS	Cambria	Crestline CCL150 Type III Ambulance	Don Rosin
DUNCANSVILLE FIRE COMPANY	Blair	Pierce Enforcer Pumper	Bob Lynn
EMMAUS AMBULANCE CORPS	Lehigh	Braun Express Plus Type I Ambulance	Nick DeWitt
FULLER HOSE COMPANY NO. 1	Erie	Vengeant Sandstorm Ford F-550 Brush Truck	Joe Wrenn
HAMPDEN TWP VOLUNTEER FIRE COMPANY	Cumberland	Pierce Enforcer Custom pumper	Cyle Sheaffer
HARLEYSVILLE COMMUNITY FIRE COMPANY	Montgomery	Pierce Enforcer PUC Rescue Pumper	Matt Wiedenhaefer
HUMMELSTOWN CHEMICAL FIRE COMPANY NO. 1	Dauphin	Pierce Enforcer 107' Aerial	Cyle Sheaffer
JAY TOWNSHIP VOL FIRE COMPANY	Elk	Pierce Ford F-550 Mini Pumper	Bob Lynn
MEDIC RESCUE	Beaver	Crestline CCL150 Type III Ambulance 2 UNITS!	Pete Frejkowski
MERCK SHARP & DOHME CORP	Montgomery	Vengeant Bolt Ford F-350 Command Unit	Matt Wiedenhaefer
MIDDLETOWN FIRE COMPANY NO. 1	Delaware	Pierce Enforcer Pumper	Matt Wiedenhaefer
NEW HOPE EAGLE FIRE COMPANY	Bucks	Pierce Enforcer 107' Aerial	Matt Wiedenhaefer
NORTHERN BERKS EMS	Berks	Crestline CCL150 Type III Ambulance	Chris Woolfolk
PITTSBURGH BUREAU OF FIRE	Allegheny	Pierce Arrow XT 105' Aerial 2 UNITS!	Jim Sims
PITTSBURGH BUREAU OF FIRE	Allegheny	Pierce Enforcer Pumper 3 UNITS!	Jim Sims
POTTSVILLE AREA EMS	Schuylkill	Demers Sprinter Type II Ambulance	Chris Woolfolk
READING FIRE DEPT.	Berks	Pierce Enforcer Pumps 2 UNITS!	Jake Bachman
SLIPPERY ROCK FIRE RESCUE	Butler	Pierce Enforcer Pumper	Joe Wrenn
UPMC/COMMUNITY LIFE TEAM	Dauphin	Crestline CCL150 Type III Ambulance 6 UNITS!	Chris Woolfolk
UPPER ALLEN FIRE DEPT	Cumberland	Pierce Enforcer 100' Mid-mount	Cyle Sheaffer
UPPER BURRELL TWP VOLUNTEER FIRE COMPANY NO. 1	Westmoreland	Pierce Saber Dry-side tanker	Scott Schill
VALLEY REGIONAL FIRE & RESCUE	Luzerne	Pierce Kenworth Dry-Side Tanker	Dave Roberts
WESTERN BERKS AMBULANCE	Berks	Crestline CCL150 Type III Ambulance	Chris Woolfolk
WESTERN BERKS AMBULANCE	Berks	FPG remount Ambulance 2 UNITS!	Chris Woolfolk
WORCESTER FIRE DEPARTMENT	Montgomery	Pierce Arrow XT 107' Aerial	Ralph Rehrig
YARDLEY MAKEFIELD FIRE COMPANY	Bucks	Pierce Velocity Pumper	Matt Wiedenhaefer



Is your department certifying your emergency apparatus? There are several items that the National Fire Protection Association (NFPA) recommends testing on a regular basis. Some of the most common items are your fire pump and aerial device. Most companies choose to complete these certifications annually or biennially.

Pump certification is a series of tests performed on your truck's fire pump to check for proper operation and output. The test looks at several aspects of the pump including its ability to pull prime, ensuring that it can hold a vacuum, checking for rated pump output, checking overload capability, verifying tank to pump flow rate, and more. It is also a good test of several other systems on your apparatus since the engine will be running at high RPM for an extended time and all emergency and scene lights will be operating. This can help find any cooling system, electrical, or other problems that may exist. The NFPA and the Insurance Services Office, Inc. (ISO) both recommend annual pump testing. One major benefit of having a test completed every year is peace of mind knowing that your pump is capable of meeting and maintaining factory flow specs for long periods of time when needed. This also gives you the opportunity to compare the results and take note of any significant changes. Some other benefits are the opportunity to find and fix minor issues before they become a bigger problem, keeping track of normal wear through the years to keep tabs on pump health, and the often-overlooked benefit of helping to keep homeowner's insurance rates lower for members of your community.

Aerial certification refers to inspection or testing of the aerial device on your truck. The NFPA calls for an annual visual inspection and operational test, and nondestructive testing (NDT) every 5 years. You should also have these tests performed any time the aerial device was damaged, stressed beyond normal limits, or has had significant



repair work completed. These tests are important to monitor the condition of your aerial device and make sure it

is safe for your personnel and any one to whom they are rendering aid.

A qualified technician will check a long list of items including the operation and structural condition of the ladder or boom, the condition and operation of the outriggers, all interlocks and safety features, all hydraulic cylinders, the condition and adjustment of all wire cables, all of the electrical wiring associated with the aerial, the condition and function of the pump and waterways, the breathing air system, the condition of the cab and chassis, and much more. Having your aerial inspected on a regular basis is an important part of maintaining a safe fleet and should be a priority for your department.

These tests, along with other items such as ground ladder testing, fire hose testing, SCBA flow testing, patient compartment inspection, etc., should be performed regularly to ensure that your apparatus and equipment are safe and ready to go at a moment's notice. Consider adding these items to your regular maintenance program if they are not already being performed.

We have four full-service facilities located across Pennsylvania and several fully-equipped PM trucks on the road that are ready to keep your apparatus in good condition and ready for their next call.

Email service@glickfire.com, or call one of our four facilities to set up your next service appointment:

Lancaster County: 717.299.4120

Butler County: 724.452.5553

Clinton County: 570.858.0500

Montgomery County: 267.638.6380



EMPLOYEE NEWS

Welcome to our New Employees!

RYAN LABERTEW

Jack of all trades • Zelienople

Ryan has been a volunteer at Holiday Park Volunteer Fire Dept. for more than seven years. He has a certificate in Diesel Technology and enjoys working on anything he can get his hands on. In his spare time, he can be found at the fire hall or out hunting and fishing with his friends.



ADAM ROZIC

Parts and Shipping Clerk • Zelienople

Adam has been a member of Butler Twp Volunteer Fire District for more than 20 years, and a member of Connoquenessing Volunteer Fire Co. for about a year. He and his wife, Heather, have two daughters. He enjoys hunting, fishing, and spending time at their camp in Tionesta.



HEATHER GRIMM

Administrative Assistant • Zelienople

Heather has been married to our Body Shop Lead, Jerry McMahon, for 8 years. They currently live in the South Hills of Pittsburgh. They enjoy spending time at camp with friends and family. heather.grimm@glickfire.com



WE'RE HIRING!

Would you like to be part of the GLICK team?

Visit www.GlickFire.com/careers to view open positions and apply today!

Congratulations! Employee Years of Service ...



20 YEARS



Randy Buckwalter
Information
Technology



Bob Lynn
Account Manager,
Central PA



John Price
Service Technician
Zelienople PA



Jim Sims
Account Manager
Western PA



15 YEARS

Scott Weiser
Road Technician, SE PA



5 YEARS

Dave Roberts
Account Manager, NE PA



Mike Walter
Road Technician, Western PA

AMED EMS, Blair County, Job #M20-4114/5 2 UNITS!

Demers TSE Type II Ambulance on a Mercedes Sprinter Van 2500 chassis; Stryker® Performance-LOAD; Traffic emitter; Backup camera; LED dome lighting; All LED Whelen® emergency lighting

BERNVILLE COMMUNITY FIRE COMPANY, Berks County Job #35694

Pierce® Enforcer™ Pumper/Tanker; Cummins® X12 500 hp engine; Waterous CSU 2,000 gpm pump; 2,500-gallon tank; 10" Newton electric rear dump valve, between tandems; Zico Quic-Lift rack; 3.00" deluge outlet with TFT® Extend-a-Gun XG18; Rear vision camera

CITY OF BUTLER FIRE DEPT., Butler County Job #35903

Pierce® Arrow XT™ 100' Ascendant® Mid-mount Tower; Cummins® X15 605 hp engine; Waterous S100 2,000 gpm pump; 300-gallon tank; 15-inch extended bumper; TAK-4® Independent Front Suspension; TFT® Monsoon 2,000 gpm electric monitor; **CUSTOM FABRICATION BY GLICK**

**COMMUNITY LIFETEAM, Dauphin County Job #F22C-20223**

Crestline CCL150 Type III Ambulance on a Ford E-350 chassis; 68" body; Stryker® Performance-LOAD and Power-PRO XT cot; CPR seating; (5) LED emergency lights on front; All Whelen® LED emergency lighting; Rear camera; O2 to Go oxygen lift system

CORNWELLS FIRE COMPANY NO. 1, Bucks County Job #35698

Pierce® Arrow XT™ 100' Ascendant® Platform; Cummins® X15 605 hp engine; Waterous S100 2,000 gpm pump; 300-gallon tank; TAK-4® Independent Front Suspension; (2) crosslays with 6' ladder and additional hose storage; Akron 3436 Apollo monitor

DOYLESTOWN FIRE COMPANY NO. 1, Bucks County Job #35777

Pierce® Arrow XT™ 100' Ascendant® Mid-mount Tower; Cummins® X15 605 hp engine; Waterous S100 2,000 gpm pump; 300-gallon tank; Side Roll and Frontal Impact Protection; TAK-4® Independent Front Suspension; Custom crosslay area with ladder storage; (2) TFT® Monsoon monitors; Zone Defense® 360 camera system; Roof ladder storage; **CUSTOM FABRICATION BY GLICK**

GILPIN TWP VOLUNTEER FIRE DEPT., Armstrong County Job #35502

Pierce® Freightliner™ Pumper; Cummins® L9 360 hp engine; Hale® Qmax-XS-150 1,500 GPM pump; 1,000-gallon tank; Husky™3 foam system; 40-gallon Class A foam cell; Zico Quic-Ladder; 3.00" deluge outlet with TFT® Extend-a-Gun XG18; 18.00" lowered crosslays with 9.00" raised pump house; **CUSTOM FABRICATION BY GLICK**

GREENWOOD FIRE DEPT., Blair County, Job #35887

Pierce® Velocity™ PUC™ Rescue Engine; Detroit™ DD13® 525 hp engine; Pierce 1,500 GPM PUC pump; 750-gallon tank; Husky™3 foam system; 20-gallon Class A foam cell; Harrison 15kW MPC generator; 26-inch extended bumper; Side Roll and Frontal Impact Protection; TAK-4® Independent Front Suspension; 3.00" deluge outlet with TFT® Extend-a-Gun XG18; Will-Burt® Chief light tower; **CUSTOM FABRICATION BY GLICK**

HONEY BROOK FIRE COMPANY NO.1, Chester County Job #35838

Pierce® Enforcer™ Pumper/Tanker; Detroit™ DD13® 525 hp engine; Waterous CSU 2,000 gpm pump; 3,000-gallon tank; 22-inch extended bumper with (2) hose trays; Side Roll and Frontal Impact Protection; TAK-4® Independent Front Suspension; Zico Quic-Lift hydraulic tank rack; 3.00" deluge outlet with TFT® Extend-a-Gun XG18; 3,500-gallon Fol-Da-Tank®; 10" Newton electric rear dump; 10" Centerline air dumps between tandem; **CUSTOM FABRICATION BY GLICK**

LACKAWAXEN TWP VOLUNTEER FIRE DEPT., Pike County Job #35962

Pierce® Saber® Dry-Side Tanker/Pumper; Cummins® L9 450 hp engine; Waterous CMU 1,250 gpm two-stage pump; 2,500-gallon tank; 19-inch extended bumper with center hose tray; Side Roll and Frontal Impact Protection; 10" Newton electric rear dump; Tandem rear axle

LANCASTER EMS ASSOC., Lancaster County Job #08613/4 2 UNITS!

Braun Chief XL Type III Ambulance on a Ford E-450 gas chassis; Ferno® loading system; Fog lights; Traffic emitter; LED dome lighting; All LED Whelen® emergency lighting; Sweep-out compartments



LIBERTY TWP FIRE COMPANY, Montour County

Job #35946

Pierce® Saber® Pumper/Tanker; Cummins® L9 450 hp engine; Hale® Qmax-175 1,750 gpm pump; 1,500-gallon tank; Husky™3 Hercules™ CAF system; 30-gallon Class A foam cell; 22-inch extended bumper with center hose tray; 3.00" deluge outlet with TFT® Extend-a-Gun XG18

LOWER MACUNGIE FIRE DEPT., Lehigh County

Job #35688 2 UNITS!

Pierce® Enforcer™ PUC™ Rescue Pumper; Detroit® DD13™ 525 hp engine; Pierce® 1,500 GPM PUC pump; 500-gallon tank; Harrison 10kW MCR generator; 22-inch extended bumper with tool box, winch tray, and hose tray; Side Roll and Frontal Impact Protection; TAK-4® Independent Front Suspension; Firecom system; Deluge outlet with TFT® Extend-a-Gun; TFT® Hurricane monitor; Ladder storage with strut storage

MAHONING VALLEY FIRE CO NO. 1, Carbon County

Job #B11171MAH

Firematic B.R.A.T 1,250 gpm Brush Truck on a Ford-550 4-door 4x4 chassis; Ford Power Stroke® diesel 330 hp engine; Darley 1,250 gpm split-shaft pump; 300-gallon tank; Darley® Davey auxiliary diesel pump; Elkhart Brush Hawk front bumper monitor; 15,000 lb. permanent Warn® winch; Warn® HD Brush Guard; (2) 1.50" rear preconnects

MASTERTONVILLE VOLUNTEER FIRE DEPT.

Lancaster County, Job #36075

Pierce® Enforcer™ Pumper; Cummins® X12 455 hp engine; Waterous CSU 1,500 gpm pump; 1,000-gallon tank; New York style hose bed; 22-inch extended bumper with center hose tray; Side Roll and Frontal Impact Protection; TAK-4® Independent Front Suspension; **CUSTOM FABRICATION BY GLICK**

MASTERTONVILLE VOLUNTEER FIRE DEPT.

Lancaster County, Job #35402

Pierce® Ford F-550 Super Duty Mini-Pumper; Power Stroke® diesel 330 hp engine; Waterous CXC20 1,500 gpm pump; 300-gallon tank; 4-door crew cab; 2.50" outlet on front of hosebed; (2) 1.50" speedlays; Weldon V-MUX Vehicle Information Center; **CUSTOM FABRICATION BY GLICK**

NORTH CORNWALL TWP/NEVERSINK FIRE COMPANY

Lebanon County, Job #35453

Pierce® Saber® Pumper; Cummins® L9 450 hp engine; Waterous CSU 1,500 gpm pump; 1,000-gallon tank; New York style hose bed; Husky™3 foam system; 20-gallon Class A foam cell; 19-inch extended bumper with center hose tray; FRC LED scene lighting; **CUSTOM FABRICATION BY GLICK**

PATTERSON FIRE COMPANY, Beaver County, Job #36060

Pierce® Enforcer™ Pumper; Cummins® X12 500 hp engine; Hale QTWO-150 1,500 gpm two-stage pump; 750-gallon tank; New York style hose bed; 19-inch extended bumper; 3.00" deluge outlet; Fire Research LED scene lights on each side; FRC inView 360 HD™ camera; **CUSTOM FABRICATION BY GLICK**

PENNDDEL FIRE COMPANY, Bucks County

Job #35705

Pierce® Arrow XT™ 100' Mid-Mount Ascendant® Tower; Cummins® X15 605 hp engine; Waterous CMU 2,000 gpm pump; 300-gallon tank; Harrison 8kW MID8.0 generator; Side Roll and Frontal Impact Protection; TAK-4® Independent Front Suspension; 234' of ladders; Custom crosslay area with ladder storage; HiViz basket lighting; Akron 3436 Apollo monitor

PITTSBURGH BUREAU OF FIRE, Allegheny County

Job #B11175/6 2 UNITS!

Firematic B.R.A.T Freightliner AWD Foam Tender; Ford Cummins® L9 350 hp engine; (4) Williams Fire 320-gallon foam totes; Honda/Pacer 105 gpm foam transfer pump; Elkhart Vulcan® 1,250 gpm monitor; Elkhart Stinger® portable monitor; Dual 5.00" intakes; Williams Fire Hydro-Foam Ranger™ 1,000 and 2,000 gpm adjustable nozzles

RURAL SECURITY FIRE COMPANY, Lebanon County

Job #35708

Pierce® Saber® Pumper/Tanker; Cummins® L9 450 hp engine; Waterous CSU 2,000 gpm pump; 750-gallon tank; Husky™3 foam system, 30-gallon Class A foam cell; New York style hose bed; 10" Newton electric rear and side dump chutes; (4) crosslays; 3.00" deluge outlet with TFT® Extend-a-Gun XG18; Zico Quic-Lift rack; 2,500-gallon Fol-Da-Tank®

UPPER PERKIOMEN VALLEY AMBULANCE ASSOC.,

Montgomery County, Job #14342

First Priority Remount of a Braun Signature Series Type I Ambulance on a Ford E-350 4x4 chassis; Stryker® Power-LOAD and Power Stretcher; All Whelen® LED emergency lighting; Weldon® LED scene lights; Traffic emitter; Inverter; Air horns

WAYNE TWP VOLUNTEER FIRE COMPANY, Clinton County

Job #35920

Pierce® Enforcer™ PUC™ Pumper; Cummins® L9 450 hp engine; Pierce 1,500 gpm PUC pump; 1,000-gallon tank; Husky™3 PUC foam system; 20-gallon Class A foam cell; 22-inch extended bumper with center hose tray; TAK-4® Independent Front Suspension; 9,000 lb. Warn® portable winch; Will-Burt® Chief LED light tower; **CUSTOM FABRICATION BY GLICK**

WEST WILLOW FIRE COMPANY, Lancaster County

Job #36073

Pierce® Enforcer™ PUC™ Pumper; Cummins® L9 450 hp engine; Pierce 1,500 gpm PUC pump; 1,000-gallon tank; 19-inch extended bumper with center hose tray; 3.00" Deluge outlet with TFT® Extend-a-Gun XG18; Rear vision camera; **CUSTOM FABRICATION BY GLICK**

WESTERN BERKS AMBULANCE, Berks County

Job #F22C-20114

Crestline CCL150 Type III Ambulance on a Ford E-350 Super Duty chassis; 72" headroom; Stryker® Performance-LOAD; 02 to Go oxygen load system; Traffic emitter; Whelen® LED emergency lighting; Aluminum cabinets; Rear camera; **CUSTOM FABRICATION BY GLICK**



www.glickfire.com



LANCASTER COUNTY
350 Mill Creek Road
Bird In Hand, PA 17505
(717) 299-4120

MONTGOMERY COUNTY
1851 N. Penn Road
Hatfield, PA 19440
(267) 638-6380

CLINTON COUNTY
7484 Nittany Valley Drive
Mill Hall, PA 17751
(570) 858-0500

BUTLER COUNTY
2348 Evans City Road
Zelienople, PA 16063
(724) 452-5553

If you no longer wish to receive our newsletter, or are receiving duplicates, please email marketing@glickfire.com, or call 717.299.4120.

MARK THESE EVENTS ON YOUR 2022 CALENDAR*

**subject to change*

Monroeville Fire & EMS Show

March 5–6

Monroeville Convention Center
Monroeville, PA

EMS Update

March 24–26

Seven Springs Mountain Resort
Seven Springs, PA

EMMCO West

April 9 – Seneca, PA
April 23 – Columbus, PA
May 8 – Erie, PA

FDIC

April 25–30

Indiana Convention Center
Indianapolis, IN

Fire Expo 2022

May 20–21

PA Farm Show & Expo Center
Harrisburg, PA

Fire-Rescue International

August 24–26

San Antonio, TX

Firehouse EXPO

Sept. 27 – Oct. 1

Greater Columbus Convention Ctr.
Columbus, OH

Get the latest "News and Events" at www.GlickFire.com/news