



East Norriton Twp

Job #39587

THIS REPORT CONTAINS PHOTOS OF:


- The metal finished.
- The body in the paint process.
- The pump house progress.
- The chassis with the engine.



GLICK

FIRE EQUIPMENT COMPANY, INC.






























Engine No. 99590863	Cust. Ref.: 4420702-0002	Fuel Rate at adv. HP 225 mm ³ /stk.	C.I.D./L 540 A.3.
Idle Speed (rpm) 750	Advertised HP 450 at 2100 rpm	Family SCEXH0540LCD	FEL EPA
Firing Order 1 5 3 6 2 4	Timing - T.D.C. ELECTRONIC	E.C.S. EGR,PTOX,SCRC	NOx+NMHC
Valve lash cold (mm) 0.305 Int. 0.559 Exh	Brake lash cold (if applicable) 1.7mm	CPL 6365	PM

IMPORTANT ENGINE INFORMATION: This engine conforms to U.S. EPA regulations applicable to 2025 model year New Heavy Duty Diesel engines and U.S. EPA clean idle standard of 30.0 g/hr. This engine is certified to operate on diesel fuel. This engine has a primary intended service application as a medium heavy-duty engine.

FOR EMERGENCY VEHICLE USE ONLY DELEGATED ASSEMBLY



