

New Franklin VFD

Job #40872

THIS REPORT CONTAINS PHOTOS OF:

- The cab with interior.
- The pump house complete and staged for future mount on the chassis.


GLICK

FIRE EQUIPMENT COMPANY, INC.













SRS




MECHANICAL
SIREN




ON
HI IDLE
OK-HI IDLE
ROAD TO PUMP
1. STOP TRUCK.
2. SHIFT TRUCK TRANSMISSION TO NEUTRAL.
3. SET PARKING BRAKE.
4. THROW LEVER DOWN.
5. ENGAGE TRUCK TRANSMISSION INTO DRIVE.
PUMP SHIFT
PUMP TO ROAD
PUMP ENGAGED
OK TO PUMP


ROAD TO PUMP
1. STOP TRUCK.
2. SHIFT TRUCK TRANSMISSION TO NEUTRAL.
3. SET PARKING BRAKE.
4. THROW LEVER DOWN.
5. ENGAGE TRUCK TRANSMISSION INTO DRIVE.
PUMP SHIFT
PUMP TO ROAD
PUMP ENGAGED
OK TO PUMP


RPM
MPH
VOLTS
FUEL
ULTRA LOW SULFUR DIESEL FUEL ONLY




ULTRA LOW SULFUR
DIESEL FUEL ONLY
AUTO
ENG BRK ON/OFF
ENG BRK LO/MED/HI
MIRROR HEAT
DIFF LOCK
TIRE CHAINS
Allison
Transmission
SYSTEM PARK
PUSH TO RELEASE
PULL TO APPLY
CAUTION
CAUTION
R
MODE
N
D


AUTO
Pierce
WHELEN



WARNING DO NOT REMOVE
SPARE WIRING BEHIND PANEL
OPTION # 0690003
WIRE # Speaker Wire
TERMINATION TYPE Cap
TERM LOC. Dash
VERIFICATION CLOCK # 792546
1663539


EMERGENCY MASTER
ROOF LIGHT
FRONT WARNING
SIDE WARNING
LWR REAR WARNING
UPR REAR WARNING
OPTICOM
HALO FLASH


EMERGENCY MASTER
ROOF LIGHT
FRONT WARNING
SIDE WARNING
LWR REAR WARNING
UPR REAR WARNING
OPTICOM
HALO FLASH


ROTO-RAY
MARS LIGHTS
RADIO MASTER
AIR HORN
SIREN BRAKE


FRONT SCENE
DRIVER SCENE
PASS SCENE
REAR SCENE
PERIMTR LIGHTS
LOAD MANAGER












NOTICE








NOTICE
FRONTAL IMPACT AND
SIDE ROLL PROTECTION


FIRE
17





40872
SRS


WARNING DO NOT REMOVE
SPARE WIRING BEHIND PANEL
OPTION # 0696438
WIRE # Antenna
TERMINATION TYPE 2-way
TERM LOC. Radio Box) under
VERIFICATION CLOCK # 151004
1663539


MECHANICAL
SIREN




SRS






FRONT SCENE
DRIVER SCENE
PASS SCENE
REAR SCENE
SIREN BRAKE


Bluetooth
JENSEN
HEAVY DUTY
NOAA
MODE
PAIR
ENTER
TIMER
BAND
SCROLL
PS-AS
INFO
1
2
3
4
5
6
JHD22



SPEEDOMETER





WEST FRANKLIN
FIRE
17
RESCUE
FIRE DEPARTMENT


40872
27



27


27
40872


40872


40872


40872
27


27