

Radnor FC

Job #40965

THIS REPORT CONTAINS PHOTOS OF:


- The chassis with the engine installed.
- The cab mounted on the chassis.
- The body in primer.


GLICK


FIRE EQUIPMENT COMPANY, INC.


HEI PICK (BBA)
PICK TYPE: CHAS1
TRUCK #: 40965-1
PWO#: 32156306
BATCH: 4827651
DATE: 10/8
TIME: 1200
AUDIT:





NOTICE
DO NOT FILL


Delco Remy
SERIES
MODEL
TYPE
SERIAL
VOLTS
GRD
AMPS
ASSEMBLED IN MEXICO
TRACEABILITY
PART NUMBER:
HOUR:


Emission Control Information
Engine No. Y378341
PACCAR MX-13
MANUFACTURED BY PACCAR
Fuel Rate at Adv. HP 205.0 mm3/ stroke
Idle Speed 550 - 650 RPM
Rated Speed at Adv. HP 1600 RPM
Valve Lash (mm) 0.50 int. 0.70 exh.
Max. Advert. kW/hp 380/510 kW/hp
Initial Injection Timing Electronic
Family TPCRH12.9M21
Date of Mfg 05/2026
Displacement 12.9 L
This engine conforms to U.S. EPA and California regulations applicable to 2026 Model Year New Heavy-Duty Diesel Engines. This engine is for installation in Emergency Vehicles only. This engine has a primary intended service application as a heavy-heavy-duty engine. This engine is certified to operate on ultra-low sulfur diesel fuel only.
Exhaust Emission Control System: DDI, TC, CAC, ECM, EGR-C, OC, SCR-U, PTOX, AMOX
DEL ASSY 2478202
EPA CARB
FEL FEL
NOx 0.19 0.19
PM 0.01 0.01
























STRYTEN ENERGY
P-SERIES
COMMERCIAL
STRYTEN ENERGY
P-SERIES
COMMERCIAL


GER / POISON
STRYTEN ENERGY
P-SERIES
950 CCA
5068842 950 C
3656749 950 C
A000V784 950
Stryten Energy LLC
Alpharetta, GA 30005
der normal operating conditions.
REMOVE YEAR AND MONTH TO INDICATE DATE SOLD
JA FE MA AP MY JU JL AU SE OC NO DE
1 2 3 4 5 6 7 8 9 0
INSTALLATION AND SERVICE RECORD
5068842 950 CCA/195 RC
3656749 950 CCA/195 RC



STRYTEN
ENERGY
STRYTEN
ENERGY






XZE2





40965












STRETEN
ENERGY
DANGER










Line-X
40965









CAP. 5 TON








CAP. 5 TON


40965


















40965










4096