

Glick Fire Stock

Job #45616

THIS REPORT CONTAINS PHOTOS OF:

- The cab with interior.

GLICK

FIRE EQUIPMENT COMPANY, INC.






B60






CAST ACRYLIC SHEET


MECHANICAL
SIREN





START
START
IGNITION
IGN
E-M
OFF
PANEL
PANEL


DN
HI IDLE
ROAD TO PUMP
1. STOP TRUCK.
2. SHIFT TRUCK TRANSMISSION TO NEUTRAL.
3. SET PARKING BRAKE.
4. THROW LEVER DOWN.
5. ENGAGE TRUCK TRANSMISSION INTO DRIVE.
PUMP SHIFT
PUMP TO ROAD
1. SHIFT TRUCK TRANSMISSION TO NEUTRAL.
PUMP ENGAGED
OK TO PUMP
SEAT MIRROR
CONVEX



RPM
MPH
KM/H
WATER
OIL
TRANS
DEF
PSI
ULTRA LOW SULFUR
DIESEL FUEL ONLY
PANEL
OFF
HI IDLE


R
N
D
4
MODE


AUTO
Pierce
WHELEN
SIREN BRAKE


WARNING DO NOT REMOVE
SPARE WIRING BEHIND PANEL
OPTION # 0696439 (X2)
WIRE # 2-Way Antennas
TERMINATION TYPE
TERM LOC. Dash
VERIFICATION CLOCK # 288682
1663539


EMERGENCY MASTER
ROOF LIGHT
FRONT WARNING
SIDE WARNING
LWR REAR WARNING
UPR REAR WARNING
HI BEAM FLASH
AIR HORN


EMERGENCY MASTER
ROOF LIGHT
FRONT WARNING
SIDE WARNING
LWR REAR WARNING
UPR REAR WARNING
HI BEAM FLASH
AIR HORN


FRONT SCENE
DRIVER SCENE
PASS SCENE
REAR SCENE
LOAD MANAGER


HIGH
OFF
LOW
LEFT
RIGHT
SPLIT
FLASH
WHELEN
TRAFFIC ADVISOR™
POWER
FUNCTION
DIRECTION INDICATOR








NOTICE


DANGER
WARNING
CAUTION


NOTICE




Pierce






SRS
Pierce




MECHANICAL
SIREN


PIERCE MANUFACTURING, INC.
11402
USDO


SRS





